

UST Extraction Fields
July 1, 2009

SQL Name	Type/ Size	Field Description	Field Values / Format	Corresponding Field in Base Offense Table & Derivation Rules
BO_SPEC_CODE_CITE	X(20)	Specific code citation with paragraphs and sub-paragraphs when applicable.	Default to STATUTE in VCC table. Place paragraphs and sub-paragraphs in VSP format. Nulls not allowed.	SPEC_CODE_CITE
BO_GEN_CODE_CITE	X(20)	General code citation with title and sections only.	Default to STATUTE in VCC table. Remove paragraphs and sub-paragraphs. Nulls not allowed.	GEN_CODE_CITE
TYPE	X(1)	Identifies crimes defined in law as felony or misdemeanor.	C = Civil. Not a criminal offense. Example: Refusal to take blood or breath test. 18.2-268.3 (includes Special Penalty offenses not classified as felony or misdemeanor) F = Felony M = Misdemeanor I = Infraction Default to K3CMODR in VCC table. Nulls not allowed.	TYPE
CLASS	X(1)	Felonies are assigned classes 1-6. Misdemeanors are assigned classes 1-4.	1-6 for felonies. 1-4 for misdemeanors U = Unclassified penalty Default to K3CSERS in VCC table. Nulls not allowed.	CLASS
BO_OP_CODE	X(2)	Along with either a general or specific code cite, type, FIPS and start date, and Extended_Key the option code is used to uniquely identify a uniform statute table record.	0-9, A-Z, special characters Codes cannot duplicate codes already used by current statute table. Manually assigned in UST. Initially field will be implemented as 1 character but within the next year or two may need to be 2 characters. Nulls not allowed except in General Offense Table where only nulls are allowed.	OPTION_CODE

CCRE_REP	X(1)	Indicates if an offense is reportable to VSP Central Criminal Record Exchange.	M = Mandatory – must be reported to CCRE (retain in CCH) N = Non-mandatory – reporting to CCRE is optional (retain in CCH) X = Common invalid statute (not retained in CCH) I = Ignore/ID only – valid statute (not retained in CCH) C = Court only statute – not an arrestable offense, disposition only. R = Not mandatory in CCH until conviction or deferred – future use. Manually assigned in UST. Nulls not allowed.	CCRE_REP
LAW_FIPS	X(5)	Code that identifies the legal authority that created the law. Link to FIPS table.	See FIPS table. Default to 998 = state. Nulls not allowed.	LAW_FIPS
START_DATE	Date	Date a code cite is effective.	MM/DD/CCYY or blank. Use EFFDATE in VCC table without modification. Nulls not allowed.	START_DATE
END_DATE	Date	Date a code cite is no longer effective. <i>Note: 12/31/2099 is entered when no end date is applicable.</i>	MM/DD/CCYY. Use RETIREDATE in VCC table. Insert 12/31/2099 when no date is applicable. Nulls not allowed.	END_DATE
DESC	X(48)	Short description of the crime defined in each code cite.	Manually assigned in UST. When appropriate, UST will use a standard title for each section followed by a colon, followed by more detailed descriptive information. Nulls not allowed.	DESC_48
DNA_IND		Is DNA sample required for this offense?	A = Upon Arrest C = After Conviction N = Not Applicable Nulls not allowed.	DNA_IND
SORT	X(50)	Accurately sorts charges in table in the same order as the offenses would appear in the Code of VA.	Calculated field. Base will provide the first 48 characters. The 49 th -50 st characters are reserved for the Extended_Key. SORT must be unique. However if the General Offenses Extract is combined with the UST Extract there will be duplicate SORT values. Nulls not allowed.	BASE: SORT VARIATION: VarKey
NCIC_CODE	X(6)	NCIC offense code.	NCIC values or “repeal”. Nulls not allowed.	NCIC_CODE

NCIC_GENERAL	NA	Not presently used	NA All null.	NA
IBR_CODE	X(6)	Description of offense using Incident Based Reporting standard offenses.	IBR values. Nulls not allowed.	IBR_CODE
IBR_MODIFIER	NA	Not presently used	NA All null.	NA
WEB_LINK	X(100)	Links each crime defined in law to the web version of the statute.	Manually assigned in UST. May be null.	WEB_LINK
MOD_CODE_CITE	X(20)	Code cite of the applicable modification statute (such as Attempt, Conspiracy, etc.)	Manually assigned in UST. May be null.	Variation:ModCodeCite
EP_CODE_CITE	X(20)	Code cite of the applicable enhanced penalty.	00-06. Always null. 07 and above. Never null.	EXTENDED_KEYS:EPCodeCite
CODE_CITE_ORDER	X(3)	When there is more than one offense, indicates which offense should appear first	B, BE, BM, BME, MB or MBE Nulls not allowed.	EXTENDED_KEYS:CITE_ORDER
MOD_IND	X(1)	Type of modifier offense	Blank, A, B, C, J, P, or S Blank = Base Offense A = Attempt B = Accessory Before Fact C = Conspiracy J = Solicitation of Juvenile P = Principal 2ND S = Solicitation May be null.	EXTENDED_KEYS:MOD_IND
ATTEMPT_INCLUDED	X(2)	INCLUDED means that the charge of "Attempted" for this offense will be charged with this statute. Blank means that "Attempted" is not applicable to this charge and you should never see a charge of "Attempted" for this charge.	Y, N, or blank May be null.	ATTEMPT_INCLUDED
CONSPIRE_INCLUDED	X(2)	See Attempt-Included	Y, N, or blank May be null.	CONSPIRE_INCLUDED
SOLICITATION_INCLUDED	X(2)	See Attempt-Included	Y, N, or blank May be null.	SOLICITATION_INCLUDED
P2_INCLUDED	X(2)	See Attempt-Included	Y, N, or blank May be null.	P2_INCLUDED
ACC_BEF_INCLUDED	X(2)	See Attempt-Included	Y, N, or blank May be null.	ACC_BEF_INCLUDED
EP_INCLUDED	X(2)	See Attempt-Included	Y, N, or blank May be null.	EP_INCLUDED

VCC	X(11)	A code used to identify crimes defined in law to support research and analysis.	Format: XXX-XXXX-XX Use VCC's VIEWKEY without modification. 999-9999-99 = No VCC assigned GEN-0000-00 General Offense – Unable to determine VCC based on code cite + type. Nulls not allowed.	BASE:VCC VARIATION:VCC
KEYWORDS	X(150)	Provides keywords that can be searched to facilitate look-up routines. Keywords are separated by semicolon. Some assigned, but mostly for future use.	Manually assigned in UST. May be null.	KEYWORDS
UPDATE_DATE	Date	Date UST record last updated.	Automatically assigned in UST based on the last date that any of the UST extract fields was updated.	UPDATE_DATE
VSP	X(1)	For historical purposes.	Blank or "IMPORT" Always null except in the General Offense Extract where IMPORT is allowed	CCH_CODE
CCITE_BAR_GUN_PURCH	X(1)	Does this offense prevent a gun purchase	C, D, X Nulls not allowed	BARRIER_TO_GUN_PURCHASE
CCITE_DEFERRED	X(1)	Is this offense deferred	Y, N Nulls not allowed.	DEFERRED
CCITE_SEX_OFF	X(1)	Is this offense required to be included on sex offender registry?	N, S, X – Research Required Nulls not allowed	SEX_OFFENSE
CCITE_VIOL_OFF	X(1)	Is this a violent offense?	Y, N Nulls not allowed	VIOLENT_OFFENSE
BASE_KEY	Numeric text	Unique key for base offense	999999 Above 800000 for General Offense Extract only. Nulls not allowed.	BASE_KEY
EXTENDED_KEY	Numeric text	Coupled with BASE_KEY, this will provide a Unique key for each variation of an offense.	00 to 28 Nulls not allowed.	VARIATION: VarKey
MANUAL_UPDATE_DATE	Date	Date UST record last updated. No longer used.	Manually assigned in UST based on updated made in UST and revisions received in VCC table. Replaced by UPDATE_DATE . May be null.	NA
ORDINANCE_CODE_CITE	X(20)	Code citation for ordinances For future use	Provided by SCV. Not presently included. May be null.	ORDINANCE_CODE_CITE

CHANGED_FIELD	X(20)	Name of the most significant field that has been changed since the previous release according to the order listed	Blank: No change to any of these fields ADD: Added since the previous UST release. Name of field that was changed since last release TYPE CLASS DESC VCC CCRE_REP START_DATE END_DATE: May be null.	Compared with previous release
SCV_30CHAR_DESC	X(30)	Very short description for use by SCV legacy systems.	Very short text description of offense. Nulls not allowed.	DESC_30
DMV_CODE	X(1)	Code used by DMV for certain driving offenses. For future use.	A to J May be null	DMV_CODE
FIRST_RELEASE	X(5)	Release in which this record first appeared.	YYYYa Will be 2006a for records which first appeared in 2006 or earlier. Nulls not allowed.	FIRST_RELEASE
VSP_SORT	X(50)	For future use: Similar to SORT. Sorts in numerical code-cite order but keeps felonies and misdemeanors together within a code-cite.	Calculated field VSP_SORT must be unique. However if the General Offenses Extract is combined with the UST Extract there will be duplicate SORT values. Nulls not allowed.	Calculated field
DMV_REPORTABLE	X(1)	Indicates if an offense is reportable by courts to DMV.	Y = Yes N = No	DMV_REPORTABLE
DMV_CODE_CITE	X(25)	Code cite used in DMV table	Maybe null	DMV_CODE_CITE
PREPAYABLE	Numeric	Contains the amount of the charge if it is prepayable, and contains 0.00 if it is not prepayable	Maybe null	PREPAYABLE