

**UST Extraction Fields**  
**May 1, 2011**

SQL Name	Type/ Size	Field Description	Field Values / Format	Corresponding Field in Base Offense Table & Derivation Rules
<b>BO_SPEC_CODE_CITE</b>	X(20)	Specific code citation with paragraphs and sub-paragraphs when applicable.	Default to STATUTE in VCC table. Place paragraphs and sub-paragraphs in VSP format. Nulls not allowed.	SPEC_CODE_CITE
<b>BO_GEN_CODE_CITE</b>	X(20)	General code citation with title and sections only.	Default to STATUTE in VCC table. Remove paragraphs and sub-paragraphs. Nulls not allowed.	GEN_CODE_CITE
<b>TYPE</b>	X(1)	Identifies crimes defined in law as felony or misdemeanor.	C = Civil. Not a criminal offense. Example: Refusal to take blood or breath test. 18.2-268.3 (includes Special Penalty offenses not classified as felony or misdemeanor) F = Felony M = Misdemeanor I = Infraction Default to K3CMODR in VCC table. Nulls not allowed.	TYPE
<b>CLASS</b>	X(1)	Felonies are assigned classes 1-6. Misdemeanors are assigned classes 1-4.	1-6 for felonies. 1-4 for misdemeanors U = Unclassified penalty Default to K3CSERS in VCC table. Nulls not allowed.	CLASS
<b>BO_OP_CODE</b>	X(2)	Along with either a general or specific code cite, type, FIPS and start date, and Extended_Key the option code is used to uniquely identify a uniform statute table record.	0-9, A-Z, special characters Codes cannot duplicate codes already used by current statute table. Manually assigned in UST. Initially field will be implemented as 1 character but within the next year or two may need to be 2 characters. Nulls not allowed except in General Offense Table where only nulls are allowed.	OPTION_CODE

<b>CCRE_REP</b>	X(1)	Indicates if an offense is reportable to VSP Central Criminal Record Exchange.	M = Mandatory – must be reported to CCRE (retain in CCH) N = Non-mandatory – reporting to CCRE is optional (retain in CCH) X = Common invalid statute (not retained in CCH) I = Ignore/ID only – valid statute (not retained in CCH) C = Court only statute – not an arrestable offense, disposition only. R = Not mandatory in CCH until conviction or deferred – future use. Manually assigned in UST. Nulls not allowed.	CCRE_REP
<b>LAW_FIPS</b>	X(5)	Code that identifies the legal authority that created the law. Link to FIPS table.	See FIPS table. Default to 998 = state. Nulls not allowed.	LAW_FIPS
<b>START_DATE</b>	Date	Date a code cite is effective.	MM/DD/CCYY or blank. Use EFFDATE in VCC table without modification. Nulls not allowed.	START_DATE
<b>END_DATE</b>	Date	Date a code cite is no longer effective. <i>Note: 12/31/2099 is entered when no end date is applicable.</i>	MM/DD/CCYY. Use RETIREDATE in VCC table. Insert 12/31/2099 when no date is applicable. Nulls not allowed.	END_DATE
<b>DESC</b>	X(48)	Short description of the crime defined in each code cite.	Manually assigned in UST. When appropriate, UST will use a standard title for each section followed by a colon, followed by more detailed descriptive information. Nulls not allowed.	DESC_48
<b>DNA_IND</b>		Is DNA sample required for this offense?	A = Upon Arrest C = After Conviction N = Not Applicable Nulls not allowed.	DNA_IND
<b>SORT</b>	X(50)	Accurately sorts charges in table in the same order as the offenses would appear in the Code of VA.	Calculated field. Base will provide the first 48 characters. The 49 <sup>th</sup> -50 <sup>st</sup> characters are reserved for the Extended_Key. SORT must be unique. However if the General Offenses Extract is combined with the UST Extract there will be duplicate SORT values. Nulls not allowed.	BASE: SORT VARIATION: VarKey
<b>NCIC_CODE</b>	X(6)	NCIC offense code.	NCIC values or “repeal”. Nulls not allowed.	NCIC_CODE

<b>NCIC_GENERAL</b>	NA	Not presently used	NA All null.	NA
<b>IBR_CODE</b>	X(6)	Description of offense using Incident Based Reporting standard offenses.	IBR values. Nulls not allowed. NR = Not Reportable	IBR_CODE
<b>IBR_MODIFIER</b>	NA	Not presently used	NA All null.	NA
<b>WEB_LINK</b>	X(100)	Links each crime defined in law to the web version of the statute.	Manually assigned in UST. May be null.	WEB_LINK
<b>MOD_CODE_CITE</b>	X(20)	Code cite of the applicable modification statute (such as Attempt, Conspiracy, etc.)	Manually assigned in UST. May be null.	Variation:ModCodeCite
<b>EP_CODE_CITE</b>	X(20)	Code cite of the applicable enhanced penalty.	00-06. Always null. 07 and above. Never null.	EXTENDED_KEYS:EPCodeCite
<b>CODE_CITE_ORDER</b>	X(3)	When there is more than one offense, indicates which offense should appear first	B, BE, BM, BME, MB or MBE Nulls not allowed.	EXTENDED_KEYS:CITE_ORDER
<b>MOD_IND</b>	X(1)	Type of modifier offense	Blank, A,B,C,J, P, or S Blank = Base Offense A = Attempt B = Accessory Before Fact C = Conspiracy J = Solicitation of Juvenile P = Principal 2ND S = Solicitation May be null.	EXTENDED_KEYS:MOD_IND
<b>ATTEMPT_INCLUDED</b>	X(2)	INCLUDED means that the charge of "Attempted" for this offense will be charged with this statute. Blank means that "Attempted" is not applicable to this charge and you should never see a charge of "Attempted" for this charge.	Y,N, or blank May be null.	ATTEMPT_INCLUDED
<b>CONSPIRE_INCLUDED</b>	X(2)	See Attempt-Included	Y,N, or blank May be null.	CONSPIRE_INCLUDED
<b>SOLICITATION_INCLUDED</b>	X(2)	See Attempt-Included	Y,N, or blank May be null.	SOLICITATION_INCLUDED
<b>P2_INCLUDED</b>	X(2)	See Attempt-Included	Y,N, or blank May be null.	P2_INCLUDED
<b>ACC_BEF_INCLUDED</b>	X(2)	See Attempt-Included	Y,N, or blank May be null.	ACC_BEF_INCLUDED
<b>EP_INCLUDED</b>	X(2)	See Attempt-Included	Y,N, or blank May be null.	EP_INCLUDED

<b>VCC</b>	X(11)	A code used to identify crimes defined in law to support research and analysis.	Format: XXX-XXXX-XX Use VCC's VIEWKEY without modification. 999-9999-99 = No VCC assigned GEN-0000-00 General Offense – Unable to determine VCC based on code cite + type. Nulls not allowed.	BASE:VCC VARIATION:VCC
<b>KEYWORDS</b>	X(150)	Provides keywords that can be searched to facilitate look-up routines. Keywords are separated by semicolon. Some assigned, but mostly for future use.	Manually assigned in UST. May be null.	KEYWORDS
<b>UPDATE_DATE</b>	Date	Date UST record last updated.	Automatically assigned in UST based on the last date that any of the UST extract fields was updated.	UPDATE_DATE
<b>VSP</b>	X(1)	For historical purposes.	Blank or "IMPORT" Always null except in the General Offense Extract where IMPORT is allowed	CCH_CODE
<b>CCITE_BAR_GUN_PURCH</b>	X(1)	Does this offense prevent a gun purchase	C, D, X Nulls not allowed	BARRIER_TO_GUN_PURCHASE
<b>CCITE_DEFERRED</b>	X(1)	Is this offense deferred	Y, N Nulls not allowed.	DEFERRED
<b>CCITE_SEX_OFF</b>	X(1)	Is this offense required to be included on sex offender registry?	N, S, X – Research Required Nulls not allowed	SEX_OFFENSE
<b>CCITE_VIOL_OFF</b>	X(1)	Is this a violent offense?	Y, N Nulls not allowed	VIOLENT_OFFENSE
<b>BASE_KEY</b>	Numeric text	Unique key for base offense	999999 Above 800000 for General Offense Extract only. Nulls not allowed.	BASE_KEY
<b>EXTENDED_KEY</b>	Numeric text	Coupled with BASE_KEY, this will provide a Unique key for each variation of an offense.	00 to 28 Nulls not allowed.	VARIATION: VarKey
<b>MANUAL_UPDATE_DATE</b>	Date	Date UST record last updated. No longer used.	Manually assigned in UST based on updated made in UST and revisions received in VCC table. Replaced by UPDATE_DATE . May be null.	NA
<b>ORDINANCE_CODE_CITE</b>	X(20)	Code citation for ordinances For future use	Provided by SCV. Not presently included. May be null.	ORDINANCE_CODE_CITE

<b>CHANGED_FIELD</b>	X(20)	Name of the most significant field that has been changed since the previous release according to the order listed	Blank: No change to any of these fields ADD: Added since the previous UST release. Name of field that was changed since last release TYPE CLASS DESC VCC CCRE_REP START_DATE END_DATE: May be null.	Compared with previous release
<b>SCV_30CHAR_DESC</b>	X(30)	Very short description for use by SCV legacy systems.	Very short text description of offense. Nulls not allowed.	DESC_30
<b>DMV_CODE</b>	X(1)	Code used by DMV for certain driving offenses. Obsolete. No longer maintained.	A to J May be null	DMV_CODE
<b>FIRST_RELEASE</b>	X(5)	Release in which this record first appeared.	YYYYa Will be 2006a for records which first appeared in 2006 or earlier. Nulls not allowed.	FIRST_RELEASE
<b>VSP_SORT</b>	X(50)	<b>For future use:</b> Similar to SORT. Sorts in numerical code-cite order but keeps felonies and misdemeanors together within a code-cite.	Calculated field VSP_SORT must be unique. However if the General Offenses Extract is combined with the UST Extract there will be duplicate SORT values. Nulls not allowed.	Calculated field
<b>DMV_REPORTABLE</b>	X(1)	Indicates if an offense is reportable by courts to DMV.	Y = Yes N = No	DMV_REPORTABLE
<b>DMV_CODE_CITE</b>	X(25)	Code cite used in DMV table	Maybe null	DMV_CODE_CITE
<b>PREPAYABLE</b>	Numeric	Contains the amount of the charge if it is prepayable, and contains 0.00 if it is not prepayable	Maybe null	PREPAYABLE
<b>DMV_DESCRIPTION</b>	X(48)	Description used by DMV for offenses that are reported to DMV.	Maybe null	DMV_DESCRIPTION